

# Smart Start Feed Management



Complete loading solution designed for all feed mixers, suited for operations of all sizes.

---

# Feed Management

## Precision feed loading

As feed represents roughly 50% of livestock costs, it's essential to incorporate a precision management plan to maximize returns. Upon determining TMR, loading is the next critical step in managing inputs, improving efficiency, optimization, and enabling performance tracking. The Digi-Star EZ 2810 BT and EZ 3410 BT solutions ensure accurate execution and logging, providing necessary metrics to improve operational profitability; know exactly what's going in and what it's returning.

Compatible with virtually any TMR mixer on the market, the solution offers two indicator options featuring Bluetooth® for remote connectivity. Additionally, for increased monitoring capability, the solutions come standard with a mobile application named FEED — providing cab control, feed sheets, and remote support. The solutions are designed for organic user-progression, offering basic data logging today with the option to connect to advanced feed management software in the future via Topcon Agriculture Platform (TAP).

---

**Optimize TMR inputs through precision loading, improving profitability**

---

**Free mobile app (FEED) for in-cab control and monitoring improving efficiency and eliminating manual feed sheets**

---

**Remote support capability for reduced downtime**

---

**Time- and field-proven components for reliability**

---





## Solution Overview



1

### Digi-Star EZ 2810 BT

Bluetooth® indicator on feed mixer acting as controller and display



1

### Digi-Star EZ 3410 BT

Bluetooth® indicator on feed mixer acting as controller and display



2

### FEED App

In-cab app for increased control



3

### Load Cell

Load cells for accurate weight measurement

## Key Solution Features

- Free mobile device application, FEED (currently compatible with Android, iOS in development)
- Integrated Bluetooth® on EZ 2810 and EZ 3410 indicators for remote connectivity
- Indicators offer 1.7" (43 mm) sunlight-readable display
- Preset weight function
- Internal alarms
- Rotation counter/timer
- Machine hour meter



# Feed Management



## The EZ 3410 BT covers all EZ 2810 BT features, plus:

- Ability to program rations from indicator
- Increased memory (up to 200 ingredients)
- First ingredient resizing function
- Ingredient accumulation data recorded locally



## FEED App

### Cab Control

Control the EZ 2810 / 3410 BT indicators on the feed mixer remotely (in-cab).

### Feed Sheet

Program precise feed rations and use mobile device as simple batching tool. Easy to input loads, resize and export.

### Scale Tracker

Allows technicians to provide remote support to operators.

## Complementary Solutions




### Advanced Feed Management

TMR Tracker for complete feed management software



### ERM Wi-Fi Module

Wi-Fi module for farm connectivity



### Data Services

Digital farm management and telematics



Specifications subject to change without notice.  
7010-2282 A 8/19 ©2019 Topcon Corporation

Topcon Agriculture is a business unit of  
Topcon Positioning Group.

[www.topconagriculture.com](http://www.topconagriculture.com)

